EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6786578".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 10:08
L2	2	"6786578".pn. and speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 10:08
L3	2	"5982990".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 10:15
L4	2	"6299285".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 10:25
S1	2	"6786578".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:43
S2	4557	((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or magenta or yellow or c or y or m)) same ((normal or dark \$4 or regular or high\$3) near4 (cyan or magenta or yellow or c or y or m)) same ((print\$5 or reproduc\$5 or record\$5) with (cyan or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:52

	***************************************	magenta or yellow or c or y or m))	***************************************	***************************************	***************************************	***************************************
S3	368	\$2 and ((conver \$5 or transform \$5) same (rgb or (r near3 g near3 b)) same (cyan or magenta or yellow or c or y or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:54
S4	2	S3 and ((first or second) near3 (mode or option or state or setting)) same ((normal or dark \$4 or regular or high\$3) near4 (cyan or magenta or yellow or c or yor m)) same ((print\$5 or reproduc\$5 or reproduc\$5 or magenta or yellow or c or yor m) or m)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:56
S5	44288	(((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or magenta or yellow or c or y or m)) and ((normal or dark \$4 or regular or high\$3) near4 (cyan or magenta or yellow or c or y or m)) and ((print \$5 or reproduc \$5 or record\$5) with (image or data or cyan or magenta or yellow or c or magenta or yellow or c or magenta or or single \$5 or record\$5) with (image or data or cyan or magenta or or magenta or or single \$5 or record\$5)	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:58

		yellow or c or y or m))	***************************************		********	**********
S6	295	S5 and ((first or second) near3 (mode or option or state or setting)) same ((normal or dark \$4 or regular or high\$3) near4 (cyan or magenta or yellow or c or y or m))	US-PGPUB; USPAT; EPO; JPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 15:59
S7	105	S6 and ((first or second) near3 (mode or option or state or setting)) same ((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or magenta or yellow or c or y or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 16:00
S8	24	S7 and ((print\$5 or reproduc\$5 or record\$5) with (cyan or magenta or yellow or ic or in or iy or ik or ymck or cmyk or ymcklolm or (c near3 y near3 m)))	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 16:04
S9	5	\$8 and ((conver \$5 or transform \$5) same (rgb or (r near3 g near3 b)) same (cyan or magenta or yellow or c or y or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 16:13

S10	8599	S5 and ((first or second)) same ((normal or dark \$4 or regular or high\$3) near4 (cyan or magenta or yellow or c or y or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		2008/12/12 16:15
S11	5218	S10 and ((first or second)) same ((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or magenta or yellow or c or y or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 16:15
S12	294	\$11 and ((conver \$5 or transform \$5) same (rgb or (r near3 g near3 b)) same (ymck or cmyk or cyan or magenta or yellow or c or y or m or lc or Im or ly or lk or ymck or cmyk or ymcklclm or (c near3 y near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 16:17
S13	213	\$12 and ((print \$5 or reproduc \$5 or record\$5) same (cyan or magenta or yellow or Ic or Im or Iy or Ik or ymck or cmyk or ymckldlm or (c near3 y near3 m)))	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/12 16:17

S14	0	"6299285".pn. and conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 08:17
S15	0	"6299285".pn. and transfor\\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 08:17
S16	1	"6299285".pn. and transfor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 08:17
S17	0	"6299285".pn. and rgb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 08:18
S18	1	"6299285".pn. and green	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 08:18
S19	44289	((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or magenta or yellow or c or y or m)) and ((normal or dark \$4 or regular or high\$3) near4 (cyan or magenta or yellow or c or y or m)) and ((print \$5 or reproduc \$5 or record\$5) with (image or data or cyan or yellow or c or y yellow or c or y or m)) and (yeint \$5 or reproduc \$5 or reproduc \$7 or print \$7 or pri	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 08:27

S20	8599	S19 and ((first or second)) same ((normal or dark \$4 or regular or high\$3) near4 (cyan or magenta or yellow or c or y or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		2008/12/14 08:27
S21	5218	S20 and ((first or second)) same ((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or magenta or yellow or c or y or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OR	2008/12/14 08:27
S22	294	S21 and ((conver \$5 or transform \$5) same (rgb or (r near3 g near3 b)) same (ymck or cmyk or cyan or magenta or yellow or c or y or m or lc or Im or ly or lk or ymck or cmyk or ymckldlm or (c near3 y near3 m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 08:27
S23	213	S22 and ((print \$5 or reproduc \$5 or record\$5) same (cyan or magenta or yellow or Ic or Im or Iy or Ik or ymck or crnyk or ymcklmlc or ymcklclm or (c near3 y near3 m)))	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 08:27

S24	332	S19 and ((first or second) same ((only) with (normal or dark \$4 or regular or high\$3) near4 (cyan or magenta or yellow or c or y or m)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	O Z	2008/12/14 08:33
S26	87	S24 and ((first or second)) same (both or together or combin\$5 or superpos\$6 or mix\$7) same (((light\$4 or low \$4 or small\$5 or medium or bright \$5 or m) same ((normal or dark \$4 or regular or magenta or magenta or magenta or or model or dark \$4 or or or model or magenta or magenta or magenta or model or or yor m) same (van or or or yor m) same (van or or or yor m) same or or or yor m) same or or or yor m)	US-PGPUB; USPAT; EPO; JPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 08:36
S27	7	\$26 and ((conver \$5 or transform \$5) same (rgb or (r near3 g near3 b)) same (ymck or cmyk or ymc or cmy or cyan or magenta or yellow or c or y or m))	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 08:37

S28	3	S24 and ((first or second)) same (both or together or combin\$5 or superpos\$6 or mix\$7) same ((tight\\$4 or low \$4 or small\\$5 or medium or bright \$5) near4 (cyan or c)) same ((normal or dark \$4 or regular or high\\$3) near4 (magenta or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:14
S29	3	S24 and ((first or second)) same (both or together or combin\$5 or superpos\$6 or mix\$7) same (((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or c)) or lc) with ((normal or dark \$4 or regular or migh\$3) near4 ((magenta or m))	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:15
S30	1143	S24 and ((first or second)) same (((lights4 or low \$4 or small\$5 or medium or bright \$5) near4 ((magenta or m) or cyan or c)) or lor or low with (((normal or dark \$4 or regular or high\$3) near4 ((magenta or m or cyan or c))	US-PGPUB; USPAT; EPO; JPO; JDERWENT; IBM_TDB	OR	ON	2008/12/14 09:22

S31	18	S30 and ((conver \$5 or transform \$5) same (rgb or (r near3 g near3 b)) same (ymck or cmyk or ymc or cmy or cyan or magenta or yellow or c or y or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:23
S32	23	\$24 and ((first or second)) same (((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (magenta or m)) or lm) with ((normal or dark \$4 or regular or high\$3) near4 (cyan or c))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:24
S33		\$24 and ((first or second)) same (((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or c)) or lo with ((normal or dark \$4 or regular or high\$3) near4 (magenta or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:27
S34	9	(S32 or S33) and ((conver\$5 or transform\$5) same (rgb or (r near3 g near3 b)) same (ymck or cmyk or ymc or cmy or cyan or magenta or yellow or c or y or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:30

S35	24	S24 and ((first or second)) same (((((ight\$4 or low \$4 or small\$5 or medium or bright \$5) near4 ((magenta or m or yellow or y)) or Im or ly) with (((normal or dark \$4 or regular or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:35
		high\$3) near4 (cyan or c))	***************************************		***************************************	***************************************
S37	25	S24 and ((first or second)) same (((lights 4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or c or yellow or y)) or lc or ly) with ((normal or dark\$4 or regular or high \$3) near4 (magenta or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:36
S38	15	S24 and ((first or second)) same (((lights 4 or low \$4 or small\$5 or medium or bright \$5) near4 (eyan or c or magenta or m)) or lc or lim) with (normal or dark\$4 or regular or high \$3) near4 (yellow))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:37

S39	10	(S35 or S37 or S38) and ((conver\$5 or transform\$5) same (rgb or (r near3 g near3 b)) same (ymck or cmyk or ymc or cmy or cyan or magenta or yellow or c or y or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:37
S40		\$24 and ((first or second)) same (((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (magenta or m or yellow or y)) or Im or ly) with (add or adding or added or mix \$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark \$4 or regular or high\$3) near4 (cyan or c))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:41
S41	226	S19 and ((first or second)) same (((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (magenta or m or yellow or y)) or Im or ly) with (add or adding or added or mix \$6 otroduc\$5 or blend\$5) with ((normal or dark \$4 or regular or high\$3) near4 (cyan or c))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:43

S42	26	S19 and ((first or second)) same (((fight\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or c or yellow or y)) or lc or ly) with (add or adding or added or mix\$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark \$4 or regular or high\$3) near4 (magenta or mi)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:48
S43	12	S19 and ((first or second)) same (((fight\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or c or magenta or m)) or lc or lm) with (add or adding or added or mix\$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark \$4 or regular or high\$3) near4 ((yellow))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:48
S44	111	(S41 or S42 or S43) and ((conver\$5 or transform\$5) same (rgb or (r near3 g near3 b)) same (ymck or cmyk or ymc or cmy or cyan or magenta or yellow or c or y or n))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:49

S45	7	S19 and ((mode or option or setting)) same (((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (magenta or m or yellow or y)) or Im or ly) with (add or adding or added or mix \$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark \$4 or regular or high\$3) near4 (cyan or c))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:55
S46	113	S19 and (((mode or option or option or setting))) same ((((light)\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or c or yellow or y)) or lc or ly) with (add or adding or added or mix\$6 or introduc\$5 or blend\$5) with (((normal or dark \$4 or regular or high\$3) near4 ((magenta or m))	US-PGPUB; US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:56
S47	5.55	S19 and (((mode or option or setting))) same (((light)\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or c or magenta or m)) or le or adding or added	US-PGPUB; US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:57

	***************************************	or mix\$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark \$4 or regular or high\$3) near4 (yellow))	·	***************************************	***************************************	
S48	5	(S45 or S46 or S47) and ((conver\$5 or transform\$5) same (rgb or (r near3 g near3 b)) same (ymck or cmyk or ymc or cmy or cyan or magenta or yellow or c or y or or y	US-PGPUB; USPAT; EPO; JPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 09:58
S49	7	(S45 or S46 or S47) and ((conver\$5 or transform\$5) same (rgb or (r near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14
S50	2	S19 and ((mode or option or setting)) same ((input\$5 or record \$5) near4 (cyan or c)) same (((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (magenta or mo ryellow or y)) or Im or ly) with (add or adding or added or mix \$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark \$4 or regular or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14

	-	high\$3) near4 (cyan or c))			***************************************	-
S51	2	S19 and (((mode or option or setting))) same ((input\$5 or reproduc\$5 or print\$5 or record \$5) near4 ((magenta or m)) same (((light\$4 or low\$4 or small \$5 or medium or bright\$5) near4 (cyan or c or yellow or y)) or lc or ly) with (add or adding or added or mix \$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark \$4 or regular or high\$3) near4 (magenta or m))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14
S52	0	S19 and (((mode or option or setting))) same ((input\$5 or reproduc\$5 or print\$5 or record \$5) near4 (yellow or y)) same (((iight\$4 or low\$4 or small \$5 or medium or bright\$5) near4 (cyan or c or magenta or m)) or lc or lm) with (add or adding or added or mix \$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark \$4 or regular or high\$3) near4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14

	***************************************	(yellow))		******		***************************************
SS54	2	((mode or option or setting)) same ((input\$5 or record or reproduc\$5 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14
S55	2	((mode or option or setting)) same ((input\$5 or reproduc\$5 or print\$5 or record \$5 or output\$5 or generat\$5 or produc\$5 or creat\$5) near4 (magenta)) same (((light\$4 or low\$4 or small \$5 or medium or bright\$5) near4 (oyan or yellow)) or lc or ly) with (add or adding or added or mix \$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14

	***************************************	\$4 or regular or high\$3) near4 (magenta))			************	***************************************
S56	31	((input\$5 or reproduc\$5 or print\$5 or record \$5 or output\$5 or generat\$5 or produc\$5 or creat\$5) near4 (cyan)) same (((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (magenta or yellow)) or Im or ly) with (add or add or mix\$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark \$4 or regular or high\$3) near4 (cyan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14
S57	45	((input\$5 or reproduc\$5 or print\$5 or record \$5 or output\$5 or generat\$5 or produc\$5 or creat\$5 or creat\$5) near4 (magenta)) same (((light\$4 or low\$4 or small \$5 or medium or bright\$5) near4 (cyan or yellow)) or lc or ly) with (add or adding or added or mix \$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark \$4 or regular or high\$3) near4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14

		(magenta))				
S58	24	((input\$5 or reproduc\$5 or print\$5 or record \$5 or output\$5 or generat\$5 or produc\$5 or creat\$5) near4 ((yellow)) same ((((ight\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (magenta or cyan)) or Im or Ic) with (add or adding or added or mix\$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark \$4 or regular or high\$3) near4 ((yellow))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14
S59	7	S56 and S57 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 10:26
S60	2	"6637850".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 10:55
S61	1	"6637850".pn. and (m1 with c2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 10:57

S62	0	(((input\$5 or reproduc\$5 or print\$5 or record \$5 or output\$5 or generat\$5 or produc\$5 or creat\$5) near4 (magenta)) same (((ilght\$4 or low\$4 or small \$5 or medium or bright\$5) near4 (cyan or yellow)) or lo or ly) with (add or added or mix \$6 or combin\$6 or introduc\$5 or blend\$5) with ((deep) near4 (magenta))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14
S63	1	\$57 and ((input \$5 or reproduc \$5 or reproduc \$5 or reprint\$5 or record\$5 or output\$5 or generat\$5 or produc\$5 or creat\$5) near4 (magental) same ((only) with (normal or dark\$4 or regular or high \$3) near4 (magental))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14
S64	31	(((input\$5 or reproduc\$5 or print\$5 or record \$5 or output\$5 or generat\$5 or produc\$5 or generat\$5 or produc\$5 or creat\$5) near4 ((cyan)) same (((light\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (magenta or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14

		yellow)) or Im or Iy) with (add or adding or added or mix\$6 or combin\$6 or introduc\$5 or blend\$5) with ((normal or dark \$4 or regular or high\$3) near4 (cyan)				
S65		S64 and ((input \$5 or reproduc \$5 or print\$5 or record\$5 or output\$5 or produc\$5 or creat\$5) near4 (cyan)) same ((only) with (normal or dark \$4 or regular or high\$3) near4 (cyan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 11:08
S66	231	(((input\$5 or reproduc\$5 or produc\$5 or print\$5 or record \$5 or output\$5 or generat\$5 or conver \$5 or transform \$5) near4 ((magenta)) same (((light\$4 or low\$4 or small \$5 or medium or bright\$5) near4 (cyan or yellow) or lo or ly with ((deep or normal or dark\$4 or regular or high \$3) near4 ((magenta))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14

S67	12	S66 and ((input \$5 or reproduc \$5 or reproduc \$5 or print\$5 or record\$5 or output\$5 or generat\$5 or produc\$5 or creat\$5) near4 (magenta)) same ((without or only) with (normal or dark \$4 or regular or high\$3) near4 (magenta))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 11:14
S68	238	(((input\$5 or reproduc\$5 or print\$5 or record \$5 or output\$5 or generat\$5 or conver \$5 or transform \$5) near4 ((magenta)) or low\$4 or small \$5 or medium or bright\$5) near4 ((cyan or yellow)) or lc or ly) with ((standard or deep or normal or dark\$4 or regular or high \$3) near4 (magenta))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14 11:20
S69	12	\$68 and ((input \$5 or reproduc \$5 or print\$5 or record\$5 or output\$5 or generat\$5 or creat\$5) near4 ((magenta)) same ((sole\$3 or without or only) with (standard or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14

		deep or normal or dark\$4 or regular or high \$3) near4 (magenta))			***************************************	***************************************
S70	16	S68 and ((input \$5 or reproduc \$5 or print\$5 or record\$5 or output\$5 or great\$5 or produc\$5 or creat\$5) near4 (magenta) same ((without) with ((light\$4 or low\$4 or small\$5) or medium or bright\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/14
S71	238	((input\$5 or reproduc\$5 or reproduc\$5 or print\$5 or record \$5 or output\$5 or generat\$5 or produc\$5 or transform \$5) near4 (magenta)) same (((light\$4 or low\$4 or small \$5 or medium or bright\$5) near4 (cyan or yellow)) or lo or ly) with ((standard or deep or normal or dark\$4 or regular or high \$3) near4 (magenta))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:13

S72	16	\$71 and ((input \$5 or reproduc \$5 or print\$5 or record\$5 or output\$5 or generat\$5 or produc\$5 or creat\$5) near4 (magenta)) same ((without) with ((light\$4 or low\$4 or small\$5 or medium or bright\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:13
S73	21	((input\$5 or reproduc\$5 or peproduc\$5 or record \$5 or output\$5 or generat\$5 or output\$5 or generat\$5 or conver \$5 or transform \$5) near4 ((ight\$4 or low\$4 or small \$5 or medium or bright\$5) near4 (cyan or yellow)) or lc or ly) with (mix\$5 or adding or added or add or blend\$5) with ((standard or deep or normal or dark\$4 or regular or high \$3) near4 ((magenta))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15
S74	20	S73 and ((colorant or coloring or toner or ink) with (cyan or magenta or yellow or ymc or cmy or ymck or cmyk or (c near3 m near3 y)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:17

S75	21	((input\$5 or reproduc\$5 or print\$5 or record \$5 or output\$5 or generat\$5 or produc\$5 or creat\$5 or conver \$5 or transform \$5 or shift\$5 or offset\$5) near4 (magenta)) same (((light\$4 or low\$4 or small \$5 or medium or bright\$5) near4 (cyan or yellow)) or lc or ly) with (introduc\$5 or mix\$5 or adding or added or add or blend\$5) with ((standard or deep or normal or dark\$4 or regular or high \$3) near4 (magenta))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:24
S76	98	((((ight\$4 or low \$4 or small\$5 or medium or bright \$5) near4 (cyan or yellow)) or lc or ly) with ((introduc\$5 or mix\$5 or adding or added or add or blend\$5) with ((standard or deep or normal or dark\$4 or regular or high \$3) near4 (magenta))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:26

S77	88	S76 and ((toner or ink) with (cyan or magenta or yellow or ymc or cmy or ymck or cmyk or (c near3 m near3 y)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:27
S78	56	(((light\$4 or low \$4 or small\$5 or medium or bright \$5) adj3 (cyan or yellow)) or Ic or low \$5 or mix\$5 or adding or added or add or blend \$5) with (((standard or deep or normal or dark\$4 or regular or high \$3) adj3 ((magenta))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:39
S79	48	S78 and ((toner or ink) with (cyan or magenta or yellow or ymc or cmy or ymck or cmyk or (c near3 y)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:40
S80	15	gondek.in. and (conver\$5).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 16:47
S81	2	"6027196".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:07
S82	2	"5982990".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:31

12/17/08 10:46:16 AM C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces \10656103.121208.wsp